

Peracid Plus 15%

Section 1. Chemical Product and Company Information

Product Name : Peracid Plus 15%

Other means of identification : Peracetic Acid, Acetyl Hydroperoxide, Peroxyacetic Acid

Recommended Use : Industrial Laundry Bleach

Restrictions on Use : Reserved for industrial and professional use.

Supplier Information : Christeyns Laundry Technology, LLC

100 Laurel Street, Suite 120 East Bridgewater, MA 02333

Tel: (617) 203-2169, Fax: (617) 687-5888

Date of issue : 12/15/2017

EMERGENCY HEALTH INFORMATION: 1 (800) 424-9300 Outside United States and Canada CALL: +1 (703) 741-5500

Section 2. Hazards Identification

GHS Classification

Oxidizing liquids : Category 3

Acute toxicity (Oral) : Category 4

Skin corrosion : Category 1A

Serious eye damage : Category 1

GHS Label Element

Hazard pictograms







Signal Word : Danger

Hazard Statements : May intensify fire; oxidizer.

Harmful if swallowed.

Causes severe skin burns and eye damage

Precautionary Statements :

Prevention: Keep away from heat. Keep/Store away from clothing/

combustible materials. Take any precaution to avoid mixing with combustibles. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/ protective clothing/ eye protection/ face protection. Warning! Do not use together with other products. May release dangerous

gases (chlorine).

Response: IF SWALLOWED: Call a POISON CENTER or doctor/ physician if

you feel unwell. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all



Peracid Plus 15%

contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse. In case of fire: Use dry sand, dry chemical or

alcohol-resistant foam for extinction.

Storage: Store locked up.

Disposal: Dispose of contents/ container to an approved waste disposal

plant.

Other hazards None Known

Section 3. Composition / Information on Ingredients

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration (%)
Acetic acid	64-19-7	15 - 21
Peroxyacetic acid	79-21-0	15 – 17
Hydrogen peroxide	7722-84-1	12 – 16
Water	7732-18-5	Balance

Section 4. First Aid Measures

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for

at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes.

> Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention

immediately.

If swallowed Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical

attention immediately.

If inhaled Remove to fresh air. Treat symptomatically. Get medical attention

if symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

Notes to physician : Treat symptomatically.



SAFETY DATA SHEET Peracid Plus 15%

See toxicological information (Section 11)

Section 5. Fire-Fighting Measures

Suitable extinguishing media

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment. Including

water and water spray.

Unsuitable extinguishing media None known

Specific hazards during fire Oxidizer. Contact with other material may cause fire. Oxygen fighting that can initiate or promote combustion.

Hazardous combustion products Oxygen

Special protective equipment for Use personal protective equipment. fire-fighters

Specific extinguishing methods

Use water spray to cool unopened containers. Collect

contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not

breathe fumes.

Section 6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.



Peracid Plus 15%

Section 7. Handling and Storage

Advice on safe handling Take necessary action to avoid static electricity discharge

(which might cause ignition of organic vapors). Do not ingest. Keep away from fire, sparks and heated surfaces. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Do not get in eyes, on skin, or on clothing. Wash hands thoroughly after handling. Use only with adequate ventilation. Warning! Do not use together with other products. May release dangerous gases

(chlorine).

Conditions for safe storage Keep away from heat and sources of ignition. Keep in a cool,

well ventilated place. Keep away from oxidizing agents. Keep away from reducing agents. Keep away from strong bases. Keep away from combustible material. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled

containers. Store only in original container.

Storage temperature -10 °C to 50 °C

Section 8. Exposure Controls / Personal Protection

Ingredients	CAS-No.	Form of Exposure	Permissible Concentration	Basis
Acetic acid	64-19-7	TWA	10 ppm	ACGIH
		STEL	15 ppm	ACGIH
		STEL	15 ppm 37 mg/m3	NIOSH REL
		TWA	10 ppm 25 mg/m3	NIOSH REL
		TWA	10 ppm 25 mg/m3	OSHA Z1
Hydrogen peroxide	7722-84-1	TWA	1 ppm	ACGIH
		TWA	1 ppm	NIOSH REL
		TWA	1 ppm 1.4 mg/m3	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air

concentrations below occupational exposure standards. Use only with adequate ventilation. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of

contact or splash

hazard.



Peracid Plus 15%

Eye protection : Safety goggles

Face-shield

Hand protection : Wear the following personal protective equipment: Use

chemical-resistant, impervious gloves. Gloves should be discarded and replaced if there is any indication of degradation

or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective

gloves, safety goggles and protective clothing such as a

synthetic apron.

Respiratory protection : When workers are facing concentrations above the exposure

limit they must use a MSHA/NIOSH-approved respirator or

equivalent.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before reuse. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash

hazard.

Section 9. Physical and Chemical Properties

Appearance : Liquid

Color : Colorless

Odor : Vinegar-like, Sharp Pungent

pH : < 1.0, 100 %

Flash point : 96 °C closed cup, Does not sustain combustion.

Odor Threshold : No data available

Freezing point : -49°C (-56°F)

Initial boiling point and boiling

range

> 110 °C (230°F)

Evaporation Rate : >1.0; (Butyl acetate = 1)

Flammability (solid, gas) : No data available
Upper explosion limit : No data available
Lower explosion limit : No data available
Vapor pressure : 22 mm Hg (25°C)
Relative vapor density : No data available

Relative density : 1.146

Water solubility : Completely miscible (100%)



Peracid Plus 15%

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : 581°F (305°C)

Thermal decomposition : No data available
Viscosity, kinematic : No data available
Explosive properties : No data available
Oxidizing properties : Strong Oxidizer
Molecular weight : No data available

VOC : No data available

Section 10. Stability and Reactivity

Chemical stability Potential for exothermic hazard

Stable under normal conditions.

Possibility of hazardous reactions Warning! Do not use together with other products. May release

dangerous gases (chlorine).

Conditions to avoid Heat, flames and sparks. Elevated temperatures, any sources

of heat, combustibles such as paper and wood and

contamination. For quality purposes, avoid temperatures above

86F. Higher temperatures will accelerate decomposition

resulting in loss of assay.

Incompatible materials Bases, Metals, Organic materials.

Hazardous decomposition

products

Decomposition products may include the following materials:

Carbon oxides Acetic acid

Section 11. Toxicological Information

Information on likely routes of

exposure

Inhalation, Eye contact, Skin contact

Potential Health Effects

Eyes : Causes serious eye damage.
Skin : Causes severe skin burns.

Ingestion : Harmful if swallowed. Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure



Peracid Plus 15%

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

Toxicity

Acute oral toxicity : 4 h Acute toxicity estimate : > 40 mg/l

Acute inhalation toxicity : No data available

Acute dermal toxicity : Acute toxicity estimate : 2,221 mg/kg

Skin corrosion/irritation : No data available
Serious eye damage/eye irritation : No data available
Respiratory or skin sensitization : No data available

No component of this product present at levels greater than or

Carcinogenicity IARC : equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

No ingredient of this product present at levels greater than or

Carcinogenicity OSHA : equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

No ingredient of this product present at levels greater than or

Carcinogenicity NTP : equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Reproductive effects : No data available
Germ cell mutagenicity : No data available
Teratogenicity : No data available
STOT-single exposure : No data available
STOT-repeated exposure : No data available
Aspiration toxicity : No data available

Section 12. Ecological Information

Ecotoxicity

Environmental Effects : Toxic to aquatic life.

Product

Toxicity to fish : No data available
Toxicity to daphnia and other
aquatic invertebrates

Toxicity to algae : No data available
: No data available

Ingredients

Toxicity to fish : Acetic acid 96 h LC50: 75 mg/l

Peroxyacetic acid 96 h LC50: 0.8 mg/l



Peracid Plus 15%

Toxicity to daphnia and other

aquatic invertebrates Peroxyacetic acid 48 h EC50: 0.73 mg/l

> Toxic to algae Peroxyacetic acid 72 h EC50: 0.7 mg/l

> > Hydrogen peroxide 72 h EC50: 1.38 mg/l

The fate of peracetic in water will be influenced by abiotic degradation, which yields acetic acid and oxygen, and

Persistence and degradability hydrolysis, which forms acetic acid and hydrogen peroxide, both

of which are easily biodegradable compounds.

Based on its low octanol-water partition coefficient and its rapid

degradation in the environment, this product is not Bioaccumulative potential

bioaccumuable.

Peracetic acid released in the environment will partition almost exclusively (>99%) to the water compartment. Only a minor part

(<1%) will remain in the atmosphere, where it is expected to undergo rapid decomposition with a half life of 22 minutes. The

fate of peracetic acid in the environment is mainly determined

by its degradation.

Other adverse effects

Mobility in soil

-Toxic to aquatic organisms

-Hazard for the environment is limited due to product properties: Remarks

considerable abiotic and biotic degradability, weak persistence

of degradation products. -Does not bioaccumulate

Section 13. Disposal Considerations

Disposal methods The product should not be allowed to enter drains, water

courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an

approved waste disposal facility.

Disposal considerations Dispose of as unused product. Empty containers should be

taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

RCRA - Resource Conservation

and Recovery Authorization Act

Hazardous waste

D002 (Corrosive) D001 (Ignitable)

Section 14. Transport Information

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.



Peracid Plus 15%

Land transport (DOT)

UN number : 3109

Description of the goods : Organic peroxide type F, liquid (Peroxyacetic acid)

Class : 5.2 (8)

Packing group

Environmentally hazardous : no

Sea transport (IMDG/IMO)

UN number : 3109

Description of the goods : Organic peroxide type F, liquid (Peroxyacetic acid)

Class : 5.2 (8)

Packing group

Environmentally hazardous : no

Section 15. Regulatory Information

EPA Registration Number : 82808-9

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

Ingredients	CAS-No	Component RQ (lbs)	Calculated product RQ (lbs)
Acetic Acid	64-19-7	5000	27,777

SARA 304 Extremely Hazardous Substances Reportable Quantity

Ingredients	CAS-No	Component RQ (lbs)	Calculated product RQ (lbs
Peroxyacetic acid	79-21-0	500	3,289

SARA 311/312 Hazards : Fire Hazard

Acute Health Hazard

SARA 302 : The following components are subject to reporting levels

established by SARA Title III, Section 302:

Peroxyacetic acid 79-21-0 15.0 %

SARA 313 : The following components are subject to reporting levels

established by SARA Title III, Section 313:

Peroxyacetic acid 79-21-0 15.0 %

California Prop 65 : This product does not contain any chemicals known to

the State of California to cause cancer, birth, or any other

reproductive defects.

The ingredients of this product are reported in the following inventories:

United States TSCA Inventory : On TSCA Inventory



Peracid Plus 15%

Canadian Domestic Substances List (DSL)

Australia Inventory of Chemical Substances (AICS)

New Zealand. Inventory of Chemical Substances

Japan. ENCS - Existing and New Chemical Substances Inventory

Japan. ENCS - Existing and New Chemical Substances Inventory

Japan. ISHL - Inventory of Chemical Substances

Korea. Korean Existing Chemicals

Inventory (KECI)

Philippines Inventory of Chemicals and Chemical Substances (PICCS)

China. Inventory of Existing Chemical Substances in China (IECSC)

: All components of this product are on the Canadian DSL.

: On the inventory, or in compliance with the inventory

: On the inventory, or in compliance with the inventory

On the inventory, or in compliance with the inventory

: On the inventory, or in compliance with the inventory


On the inventory, or in compliance with the inventory

On the inventory, or in compliance with the inventory

On the inventory, or in compliance with the inventory

On the inventory, or in compliance with the inventory

Section 16. Other Information



HMIS III:

HEALTH	3
FLAMMABILITY	2
PHYSICAL HAZARD	2

0 = Not Significant, 1 = Slight

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Issuing date : 5/20/2015 Version : 1.0 Prepared by : RJD

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.



SAFETY DATA SHEET Peracid Plus 15%

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.