

**Section 1: Identification****Product identifier:** MAXX 268**Other means of identification:** Alkali**SDS number:** 3017**Recommended use:** Alkali**Recommended restrictions:** Not for personal care**Manufacturer/Importer/Supplier/Distributor information**

**Company name:** UNX Industries, Inc.  
**Address:** 707 Arlington Blvd  
Greenville, NC 27858  
**Telephone:** Office hours (Mon-Fri)  
8:00 a.m. – 4:00 p.m. (Eastern Time)  
OFFICE NUMBER: 252-756-8616  
**E-mail:** unx@unxinc.com  
**Emergency phone number:** CHEMTEL (800) 255-3924 (24 HOURS)

**Section 2: Hazard(s) identification****Classification of the Substance or Mixture:****Physical hazards**

Corrosive to metals Category 1

**Health hazards**

Acute toxicity, Oral Category 4

Acute toxicity, Dermal Category 5

Skin corrosion/irritation: Category 1

Serious eye damage/eye irritation: Category 1

Specific target organ toxicity,  
Single exposure; Respiratory tract irritation: Category 3**Label elements:****Signal word:** Danger**Hazard statements**

H290 May be corrosive to metals  
H302 Harmful if swallowed.  
H313 May be harmful in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H318 Causes serious eye damage.  
H335 May cause respiratory irritation.

## Section 2: Hazard(s) identification (continued)

### Precautionary statements

#### Prevention:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P233	Keep container tightly closed.
P234	Keep only in original container.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P262	Do not get in eyes, skin, or on clothing.
P264	Wash hands, arms, face and exposed skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this products.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

#### Response:

P301+312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.

#### Storage:

P405	Store locked up.
P406	Store in corrosive resistant container or in a container with a resistant inner liner.

#### Disposal:

P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
------	---

Hazard(s) not otherwise Classified (HNOC): Not Classified

## Section 3: Composition/information on ingredients

### Substance/Mixtures

Chemical name	CAS No.	Concentration (%)
Water	7732-18-5	20-40
Sodium silicate	1344-09-8	60-80

## Section 4: First aid measures

### Description of first aid measures:

#### Non-emergency personnel

**General advice:** Safely remove victims from the danger zone. Provide emergency services with this safety data sheet.

**Eye contact:** Rinse with plenty of water for at least 15 minutes. Get medical attention immediately.

**Skin contact:** Rinse with plenty of water while removing any contaminated clothing. For small amounts of exposure, get medical attention if any discomfort or symptoms persists. For large amounts of exposure, get medical attention immediately.

**Ingestion:** Rinse mouth with plenty of water if the person is conscious. Do not induce vomiting unless directed by medical personnel. Get medical attention immediately.

**Inhalation:** Bring victim out to fresh air. If the victim is not breathing, give artificial respiration. In case of unconsciousness, place the person on their side for transport, get medical attention immediately.

#### Emergency personnel

**Personal Protection:** Refer to Section 8 for specific personal protective equipment

**Notes to physician:** The concentration and length of exposure impacts the severity of the symptoms.

#### Most important symptoms/effects, acute and delayed:

Refer to Section 2 for hazards and Section 11 for information on health effects and symptoms. Treat symptomatically.

**Indication of immediate medical attention and special treatment needed, if necessary:** Provide general supportive measures. Eye contact, inhalation, and ingestion cases should be treated immediately. Have procedures and facilities in place to treat these cases of exposure.

## Section 5: Fire-fighting measures

**Suitable Extinguishing Media:** Use carbon dioxide, foam, or extinguishing powder at the source of the fire. Use any means necessary for extinguishing surrounding fire. If water is used, use in abundance to control heat; also, be cautious that this might splatter the corrosive product and water would only serve the purpose of keeping fire-exposed containers cool on large fires.

**Unsuitable Extinguishing Media:** Do not use water jets as this will spread the fire. Do not use carbon dioxide in enclosed spaces with insufficient

**Specific hazards arising from chemical:** Burning releases carbon monoxide, carbon dioxide, oxides of nitrogen and traces of hydrogen cyanide. Do not breath in fumes/vapors from the fire. Move containers that are not exposed to the fire out of the area if able to do so safely. Be cautious that the product containers can melt in the heat and the combustible packaging material will provide fuel for the fire. Withdraw immediately in cases of rising sound from venting safety device or discoloration of tanks. For massive fire in cargo, use unmanned hose holder or monitor nozzles. If not, withdraw and let fire burn out.

## Section 5: Fire-fighting measures (continued)

**Special protective equipment for fire-fighters:** Wear full protective airtight garment and NIOSH approved self-contained breathing apparatus with independent air-supply. Fight the fire in early stages if safe to do so. Provide sufficient ventilation and be aware of hydrogen generation upon reactions with some metals. Do not allow contaminated extinguishing water to enter the soil, ground-water or surface waters.

## Section 6: Accidental release measures

**Personal precautions, protective equipment and emergency procedures:** Ventilate and restrict access to the area of leak or spill. Have emergency procedures in place for treating incidents, evacuation and informing the emergency services. Refer to Section 8 for personal protective equipment.

**Environment precautions:** Clean up spills/leaks immediately and prevent it from spreading. Large or uncontrolled spills to water systems must be reported to appropriate regulatory body.

**Methods and materials for containment and cleaning up:** Absorb spills with non-combustible absorbent. Dam and absorb with sand, earth or other inert material for large spills/leaks. Collect spillage in containers with labeled contents and dispose according to local regulations. Flush the contaminated area with lots of water.

## Section 7: Handling and storage

**Precautions for safe handling:** Refer to Section 8 for personal protective equipment. Do not eat, drink or smoke when handling the product. Avoid skin and eye contact. Follow general hygiene routines after working with the product. When handling large amounts of the product, be sure to have a safety shower nearby.

**Conditions for safe storage:** Store in a suitable, closed and labeled container upright at temperature between 40°F and 100°F in a well-ventilated area. Opened containers must be properly resealed to avoid spillage. Store away from heat, direct sunlight and moisture. It is preferred to keep the container on sump pallets. Store in high-density polyethylene containers. See Section 10 for incompatible materials.

## Section 8: Exposure control/personal protection

### Appropriate engineering controls/ventilation system:

A general exhaust system is recommended to keep employee exposures below the limits. An additional local exhaust system is preferred in order to control emissions at its source.

### Personal Protective Equipment (PPE)

**Respiratory Protection:** A NIOSH approved full-face respirator with high efficiency dust/mist filter is recommended. For emergencies or when dealing with unknown exposure measures, use a full-face piece positive-pressure, air-supplied respirator fitted with a suitable cartridge for the chemical. Consult respirator supplier regarding the compatibility of the equipment.

## Section 8: Exposure control/personal protection (continued)

**CAUTION:** Air purifying respirators do not protect the user in oxygen deficient atmospheres, use an air supply system.

**Hand Protection:** impervious gloves, with suitable protection for the workplace, are recommended any time the product is being handled. Consult glove supplier for details on suitability, breakthrough time and permeability. Frequent change of the glove is advisable. Be aware that latex gloves can trigger an allergic reaction to sensitive individuals.

**Eye Protection:** use chemical safety goggles and/or full-face shield when handling the product.

**Skin/Body Protection:** wear impervious protective clothing, boots, gloves, lab coat, apron, or coveralls, as appropriate, to prevent skin contact. Take additional precautions if handling amounts past the exposure limits.

**Thermal Hazard:** wear thermal protective clothing when necessary.

**General Hygiene:** change out of clothes, thoroughly wash your hands and clothes, and shower/bathe as soon as possible. Do not eat, drink, smoke or use the bathroom while handling the product.

**Other Protective Measures:** have an eye wash and safety shower station close by. Routinely wash all equipment to remove contaminants.

## Section 9: Physical and chemical properties

<b>Appearance:</b>	Liquid
<b>Color:</b>	Clear liquid
<b>Odor:</b>	No odor
<b>Odor Threshold:</b>	No data available
<b>pH:</b>	12.5 - Above
<b>Melting point/range:</b>	No data available
<b>Boiling point/range:</b>	No data available
<b>Flash point:</b>	No data available
<b>Evaporation rate:</b>	No data available
<b>Flammability (solid, gas):</b>	No data available
<b>Upper/lower flammability of explosive limits:</b>	No data available
<b>Vapor pressure (mm Hg):</b>	No data available
<b>Vapor density (Air=1):</b>	No data available
<b>Relative density:</b>	No data available
<b>Solubility(ies):</b>	Excellent
<b>Partition coefficient (n-octanol/water):</b>	No data available
<b>Auto-ignition temperature:</b>	No data available
<b>Decomposition temperature:</b>	No data available
<b>Viscosity, dynamic:</b>	1
<b>Other Information:</b>	This product does not contain phosphates.

## Section 10: Stability and reactivity

**Reactivity:** No hazardous reactions are known under normal storage conditions and if handled according to standard industrial practices.

**Chemical Stability:** Stable if under normal storage conditions and handled according to standard industrial practices.

**Possibility of hazardous reactions:** Hazardous polymerization will not occur.

**Conditions to avoid:** No hazardous conditions are known.

**Incompatible materials:** Oxidizing or reducing materials, and acids.

**Hazardous decomposition products:** Releases corrosive gases/vapors upon heating. No hazardous decomposition under normal conditions.

## Section 11: Toxicological information

**Acute toxicity:** Toxicological testing has not been conducted with this material. The toxicology information listed below is based on the components of this material.

Category 4- Oral: Harmful if swallowed.

Category 5- Dermal: May be harmful in contact with skin.

<b>Sodium Silicate</b>	
Acute Toxicity Estimate (ATE)	
Oral LD50 1153 mg/kg (Rat)	Dermal LD50 4640 mg/kg (Rabbit)

**Skin Corrosion/ irritation:** Category 1: Causes severe skin burns and eye damage due to an alkaline pH.

**Serious eye damage/irritation:** Category 1: Causes serious eye damage due to an alkaline pH.

**Respiratory or skin sensitization:** Classification not possible.

**Germ cell mutagenicity:** Classification not possible.      **Carcinogenicity:** Classification not possible.

**Reproductive toxicity:** Classification not possible.

**Specific Target Organ Toxicity - Single Exposure:** Category 3: Sodium silicate may cause respiratory irritation.

**Specific Target Organ Toxicity - Repeated Exposure:** Classification not possible.

**Aspiration hazard:** Classification not possible.

## Section 12: Ecological information

**Toxicity:** Do not allow to escape into waterways, wastewater or soil. Ecotoxicological studies of the product are not available. Please find below the data available to us from raw materials:

### Aquatic ecotoxicity:

Sodium Silicate			
Fish ( <i>Gambusia affinis</i> ) 2320 ppm/ 96 hours	Water fleas ( <i>Daphnia magna</i> ) 247 ppm/ 96 hours	Snail eggs ( <i>Lymnea</i> ) 632 ppm/ 96 hours	Amphipoda 160 ppm/ 96 hours

**Persistence and degradability:** No data is available on the degradability of this product.

**Bioaccumulative potential:** No data available for this product.

**Mobility in soil:** No data available for this product.

**Other adverse effects:** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## Section 13: Disposal considerations

**General Information:** Do not allow the product to contaminate any body of water. Refer to Section 8 for personal protection equipment.

**Disposal Methods:** Avoid unauthorized disposal. Do not dump into any body of water. Comply with federal, state/provincial and local laws/regulations. Do not reuse empty containers.

## Section 14: Transport information

**UN Number:** Not Available  
**UN Proper Shipping Name:** Not Applicable  
**Transport hazard class(es):**  
    **DOT Hazard Class:** Not Available  
    **DOT Subsidiary Hazard Class:** Not Available  
**Label:** Not Available  
**Packing group, if available:**  
**Environmental Hazards:** No  
**Special precautions for user:** Not DOT regulated

**Transport in bulk according to Annex II of MARPOL 73/78<sup>3</sup> and the IBC Code <sup>3</sup>:** Not applicable

## Section 15: Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Unless otherwise noted, no components are SARA TITLE III, SECTION 313, 40 CFR listed materials.

The ingredients of this product are listed on the TSCA inventory.

This product is not made with VOC'S that could cause damage to the ozone layer.

**OSHA Regulatory Status:** Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

## Section 16: Other information including date of preparation or last revision

**Chemical State:** Liquid

Issue Date: 05-01-2022

**Chemical Type:** Mixture

Revision Date: -

Version #: 01

3	Health
0	Flammability
1	Physical Hazard
C	Personal Protection

To the best of our knowledge, the information contained herein is accurate. **However, neither UNX Industries, Inc. nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.** Final determination of suitability of any material is the sole responsibility of the user. All materials may represent unknown hazards and should be used within caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.